



WORLDPRO TRADING & INDUSTRIAL SUPPLIES



GLOBAL INDUSTRIAL SUPPLY & SOLUTIONS

**AUTHORIZED SUPPLIER OF
KINGAIR COMPRESSOR -USA/UK**



Company Profile | 2026
www.worldprotrading.com

Table of Contents



About Us		Page 1
Overview		Page 2
Core Services		Page 3
Our Product & Solutions		Page 4
Technical Standard		Page 5
Business Model		Page 7
Why Choose Us		Page 8
International Sales Authorization - Partners..		Page 9
Mission and Vision		Page 10

ABOUT US



Worldpro Trading & Industrial Supplies is an international trade and sales representation firm specializing in structured B2B market development. We act as an authorized sales representative and trade broker for selected manufacturers, supporting their expansion into defined international markets.

We collaborate with trusted global manufacturers and authorized principals, including Shanghai Kingair Compressors, offering products built with advanced engineering and manufactured under strict international quality standards, including ISO 9001 certification.

Our focus is on building sustainable commercial relationships by connecting verified suppliers with qualified buyers through disciplined trade coordination, transparent communication, and performance-driven execution.

Led by experienced professionals in international trade, supply chain coordination, and business development, we enable manufacturers to strengthen their global presence while ensuring buyers receive competitive pricing, consistent quality, and dependable supply.

We operate strictly within a structured agency framework and do not hold inventory or assume manufacturing liability. Our role is centered on market representation, transaction facilitation, supplier verification, and end-to-end trade coordination.



OVERVIEW



Worldpro Trading & Industrial Supplies acts as an authorized sales representative and international trade broker for selected manufacturers, facilitating structured B2B transactions across the United States and the United Kingdom markets.

We focus on sales development, buyer sourcing, negotiation support, and coordinated trade execution, ensuring alignment between supplier capabilities and buyer requirements. Our approach is built on professionalism, compliance, and long-term commercial sustainability.



Through defined market representation and performance-based engagement, we help manufacturers achieve measurable market penetration while maintaining operational transparency and commercial discipline.

CORE SERVICES



Our services are fully free for buyers—you only pay the product cost, no brokerage fees or hidden charges.

- International Buyer Sourcing (USA & UK)
- Sales Development & Lead Generation
- Trade Brokerage & Deal Facilitation
- Commercial Negotiation Support
- Order Processing & Transaction Coordination
- Market Entry Strategy for Exporters



CORE VALUES

- Integrity: Honest and transparent international trade.
- Quality: Excellence in every product and service.
- Innovation: Continuous improvement and market exploration.
- Customer Focus: Building lasting relationships through exceptional service.
- Sustainability: Ethical sourcing, eco-friendly practices, and community impact.

PRODUCTS & SOLUTION



We are authorized sales representative / Agent of Shanghai Kingair Compressor from China. We mainly deal in the following product categories:



Centrifugal Pump



Positive Displacement Pump



Diaphragm Pump



Gear Pump



Submersible Pump

Air / Gas Compressors (HS 8414)

HOT PRODUCTS

Save energy consumption, reduce costs and increase efficiency.



Integrated Air Compressor For Laser Cutting



Single-stage PM VFD Screw Air Compressor



Double-stage PM VFD Screw Air Compressor

KINGAIR Oil-free Compressor



Dry Oil-free Screw Air Compressor



Water Lubricated Oil-free Screw Air Compressor



Oil Free Scroll Air Compressor



Oil-free Screw Blower



Magnetic Levitation Centrifugal Blower

KINGAIR Oil-injected Air Compressor



Integrated Air Compressor For Laser Cutting



Single-stage PM VFD Screw Air Compressor



Double-stage PM VFD Screw Air Compressor



Low Pressure Screw Air Compressor



Low Pressure Double-stage PM VFD Screw Air Compressor




HDPE




PP



LDPE



PET



PVC

Galvanized Steel Wire / Copper Wire



Finished Galvanized Steel Wire/Rope



Steel Rod Drawing



Annealing



Galvanizing



* Hot-Dip Zn *



PRODUCT TECHNICAL STANDARD



1. Pumps (Industrial / Water / Chemical) – HS 8413

Main Function:

Mechanical equipment used to transfer liquids by converting mechanical energy into hydraulic energy.

Pumps (HS 8413)



Main Types	Key Technical Parameters		Common Standards	Testing	Commercial Applications
	Parameter	Typical Range			
Centrifugal Pumps (most common)	Flow Rate	1 – 500 m ³ /h	ISO 2858	Hydrostatic test, vibration, performance	Water treatment plants
Positive Displacement Pumps	Head Pressure	10 – 150 m	API 610 (oil & gas industry)	Pressure test, flow test	Agriculture irrigation
Diaphragm Pumps	Motor Power	0.37 – 45 kW	DIN 24256	Leak test, performance	Chemical plants
Gear Pumps	Speed	1450 – 2900 RPM	Centrifugal pumps use a rotating impeller to accelerate liquid and create pressure for fluid transport.	Flow, pressure, torque	Oil & gas industry
Submersible Pumps	Operating Temperature	–10°C to 85°C		Electrical test, performance	HVAC systems
	Material	Cast Iron / Stainless Steel / Bronze			
Standard:		ISO 5199 / ISO 2858	API 676 / ISO 9001	ISO 9001	ISO 2858 / API 676
					ISO 9001 / IEC 60529

2. Air / Gas Compressors – HS 8414




Compressor Types		Single-stage PM VFD Screw Air Compressor	Double-stage PM VFD Screw Air Compressor
Reciprocating compressors		Working Pressure 8–13 [bar]	Working Pressure 6–13 [bar]
Rotary screw compressors	M	116–188 [psi]	87–188 [psi]
Centrifugal compressors	A	Capacity 1.1–40.0 [m ³ /min]	Capacity 4.5–81.0 [m ³ /min]
Scroll compressors		39–1413 [cfm]	159–2862 [cfm]
		Working Power 7.5–280 [kW]	Working Power 22–315 [kW]
Standard:	ISO 8573	10–380 [HP]	30–420 [HP]

3. Fiber Optic Cable Materials – HS 8544

Purpose:

Transmit data as light signals through optical fibers.



Commodities	Model & Specification	Commodities	Model & Specification
Polybutylene Terephthalate (PBT)	B-6550 LN	Steel Tape	37mm
Thixotropic Jelly	OPW-280A	Steel Wire Rope/Single	0.9mm x7
Master Batch	Clariant	Aramid Yarn	1580Dtex
CSM	2.3mm	HDPE	6062
Water Swellable Yarn	WS-1	MDPE	6052
Binder Yarn	1333	Flooding Compound	DWS-350
Identification Tape	Trans.	Printing Tape	White
Water Swellable Tape	25mm		

PRODUCT TECHNICAL STANDARD



4. Plastic Raw Materials (HDPE, MDPE, PP, PET, PVC) – HS 3901–3907

Major Resin Types

HDPE is widely used because it is impact-resistant and suitable for pipes, containers, and industrial products.

Plastic Raw Materials (HS 3901–3907)



Polymer	Density	Melting Point	Key Property	Main Industrial Uses	Testing
HDPE	0.94–0.97 g/cm ³	120–135°C	Strong & chemical resistant	Plastic pipes	MFI, density, tensile
PP	0.90–0.91 g/cm ³	160–165°C	Lightweight & heat resistant	Packaging bottles	MFI, tensile, impact
LDPE	0.91–0.93 g/cm ³	105–115°C	Flexible	Food containers	MFI, tensile, density
PET	~1.38 g/cm ³	250°C	Transparent	Automotive parts	Intrinsic viscosity, density
PVC	1.30–1.45 g/cm ³	100–260°C	Durable & flame resistant	Food containers	MFI, tensile, impact
Packaging: 25–50 kg bag					

5. Galvanized Steel Wire / Rope (0.9 mm) – HS 7217

Description

Low-carbon steel wire coated with zinc (galvanization) for corrosion protection.

Galvanized Steel Wire / Copper Wire



Manufacturing Process	Key Technical Specifications		Applications	Standard	Testing
	Parameter	Typical Range			
1. Steel rod drawing	Diameter	0.2 – 6 mm	Construction binding wire	GB/T 699	Tensile, hardness
2. Annealing	Zinc Coating	40 – 300 g/m ²	Cable armoring	GB/T 4748	Tensile, elongation
3. Galvanizing (hot-dip or electro)	Tensile Strength	350 – 1800 MPa	Fencing	GB/T 13912	Coating thickness, adhesion
	Surface	Bright / coated	Telecommunications	GB/T 8912	Tensile, elongation, flexibility


6. Copper Wire – HS 7408

Description

Electrical conductor made from 99.9% electrolytic copper.



Main Types	Key Technical Specifications		Main Uses	Standard	Testing
	Parameter	Size / Capacity			
Bare copper wire	Purity	0.5–50 mm ²	Electrical cables	IEC 60228	Conductivity, tensile
Enamelled copper wire	Electrical Conductivity	0.1–10 mm ²	Power transmission	IEC 60317	Insulation resistance, tensile
Stranded copper conductor	Diameter	0.5–100 mm ²	Electronics manufacturing	IEC 60228	Flexibility, tensile
Copper wire rod	Tensile Strength	5–20 mm diameter	Motor windings	ISO 431-1	Tensile, conductivity
Condition: -40°C to 90°C					



Our business model is based on structured sales agency agreements with selected manufacturers. We represent suppliers within defined territories and market segments, supporting them in expanding their international commercial reach. Compensation is performance-based and paid by the supplier under agreed agency terms, ensuring full alignment of interests and results-driven collaboration.

This model enables manufacturers to access international markets with minimal fixed overhead while maintaining pricing competitiveness, direct production control, and long-term relationship stability.

We help you with secure transactions, trade documentation, negotiations, and building sustainable buyer-supplier partnerships.

Industry Expertise. Global Reach. Trusted Solutions.

Worldpro Trading & Industrial Supplies specializes in delivering high-quality industrial products and supply solutions across key sectors, including Air Screw & Centrifugal Compressors, Industrial Pumps, HDPE/PET Raw Materials, Galvanized Steel Wire, and Copper Wire Products.

Serving manufacturers, engineering companies, industrial buyers, and commercial partners across the USA, UK, and international markets, we are committed to providing dependable products, professional support, and long-term business value.

Advanced Technology & Assured Quality

We collaborate with trusted global manufacturers and authorized principals, including Shanghai Kingair Compressors, offering products built with advanced engineering and manufactured under strict international quality standards, including ISO 9001 certification.

Energy-Efficient & Cost-Effective Solutions

Our suppliers and partners, such as Kingair Compressors, use intelligent control systems and advanced automatic load/unload technology to optimize energy consumption and maximize efficiency.

Fast Installation & Easy Operation

Our Kingair Compressors and pumps are supplied ready for installation and commissioning, ensuring quick deployment and minimal operational downtime.

User-friendly LCD digital control systems enable clear real-time monitoring, simple operation, and easy maintenance to enhance productivity.

Reliable Global Supply & Dedicated Support

Worldpro Trading & Industrial Supplies combines international sourcing strength with responsive customer service to deliver competitive global pricing, dependable supply chain, technical consultation, timely delivery, and logistics support.

We aim to be your trusted long-term partner for industrial supply solutions worldwide.

INTERNATIONAL SALES AUTHORIZATION - SUPPLY PARTNERS



LEGAL & COMMERCIAL STRUCTURE

- Role: Sales Representative & Independent International Trade Broker
- Buyer Contracts: Not required (open market sourcing)
- Supplier Contracts: International Sales Agency & Trade Brokerage Agreement
- Governing Law & Arbitration: Hong Kong Law + HKIAC
- Operating Model: Commission-based representation of sellers

MISSION

To connect reliable global manufacturers with qualified buyers by providing transparent, professional, and performance-driven trade brokerage and sales agency services.

VISION

To become a trusted international trade brokerage and sales agency partner for manufacturers seeking sustainable expansion into global markets.

Contact Us / RFQ

Authorized International Sales Representative -
For USA & UK Market Specialist
Worldpro Trading & Industrial Supplies (Pvt) Ltd. Rawalpindi, Pakistan



Email : ceo@worldprotrading.com
: sales@worldprotrading.com
: bdr@worldprotrading.com
: admin@worldprotrading.com



Mobile : +92-331 5382355



Website: www.worldprotrading.com

